

FUNCTION

IRONMONGERY MADE SIMPLE

Armada
Door Hardware



Welcome to Armada Function!

At Armada we make ironmongery simple. We specialise in supplying door hardware to commercial new-build and refurbishment projects.

1. **Clear, 3 tier range of furniture:** Function, Function Plus and Function Pro. Our Function Pro range is covered in its own separate brochure. Our range is designed to meet all budgets and performance expectations.
2. **Straightforward, free of charge** ironmongery scheduling service.
3. **Clearly set out quotations.**
4. **Site visit and sample services** willingly offered.
5. **For your complete peace of mind**, we have access to original fire test documentation for many of our products. We provide expert advice on fire compliance and ratings for all of our products.

Rather than confusing our clients we give them a refreshing and straightforward experience; from initial inquiry, - through quotation, site visit, delivery - right to supply of O&M manuals. *We aim to be the company that you want to deal with!*



Armada FUNCTION

06

This is our contract range of Stainless Steel furniture. Fitted in many medium-use commercial properties such as offices.

Armada FUNCTION PLUS

16

A robust heavy duty range of furniture, suitable for industrial applications, schools, high-use offices and care homes.

Accessories

24

Essential accessories that can be used across all three ranges.

Note; all items across the 3 ranges (Function, Function Plus and Function Pro) are fully compatible.

Our Service Guarantee

We offer a complete service to help you deliver your project on time and on budget. **Keeping ironmongery simple** means that we do the work, whilst you reap the benefits...

Some of the complimentary services we offer to our clients;

1. Liaising between contractor, architect and client
2. Sample supply for approval
3. Site visits
4. Ironmongery scheduling service
5. Advice on legislation and fire compliance
6. Door-by-door packing
7. Plot/phase call offs
8. Box stock

(common ironmongery sets boxed and ready for fast despatch)




FUNCTION





DECO LEVER


SSS PSS SAA



Our most popular, fully sprung lever handle.
DDA Approved, BS EN 1906, FD30/60 Rated.
Ref: FST110

POLARIS LEVER


SSS PSS



Fully sprung lever on rose.
BS EN 1906, FD30/60 Rated.
Ref: FST120

CAPPELLA LEVER

SSS PSS




Fully sprung lever on rose.
BS EN 1906, FD30/60 Rated.
Ref: FST150



VIVANTO LEVER


SSS PSS



Fully sprung lever on rose.
BS EN 1906, FD30/60 Rated.
Ref: FST130

SONNET LEVER



SSS PSS



Fully sprung lever on rose.
BS EN 1906, FD30/60 Rated.
Ref: FST140

DIN LOCKS

SSS



Modular DIN standard mortice lock range with 60mm backset. Rated to BS EN 12209, CE and Certifire.

Available as Euro Profile sashlock/deadlock 60mm, Bathroom sashlock 60mm, Mortice latch 60mm and Night latch 60mm.


Euro profile sashlock 60mm – LZH601

Euro profile deadlock 60mm – LZH602

Bathroom sashlock 60mm – LZH603

Mortice latch 60mm – LZH600

Escape sashlock 60mm – LZH604



English centres mortice lock range complete with strike plate and options of 2 depths. Rated to BS EN 12209, CE and Certifire. Intumescent lock wraps available on page 34.

SSS

EURO PROFILE

Sashlock 65mm
LES050-SSS
Sashlock 76mm
LES051-SSS
Deadlock 65mm
LES060-SSS
Deadlock 76mm
LES061-SSS

OVAL PROFILE

Sashlock 65mm
LES070-SSS
Sashlock 76mm
LES071-SSS
Deadlock 65mm
LES080-SSS
Deadlock 76mm
LES081-SSS

3-LEVER


Sashlock 65mm
LES030-SSS
Sashlock 76mm
LES031-SSS
Deadlock 65mm
LES040-SSS
Deadlock 76mm
LES041-SSS

5-LEVER

Sashlock BS3621 65mm
LES010-SSS
Sashlock BS3621 76mm
LES011-SSS
Deadlock BS3621 65mm
LES020-SSS
Deadlock BS3621 76mm
LES021-SSS

HEAVY DUTY MORTICE TUBULAR LATCH

SSS



76mm case depth, pierced for bolt through fixings.
Ref: LES131

DOOR CLOSER

SIL



Overhead door closer. Fixed power size. EN1154 performance tested, EN1634 fire tested.
Ref: CFR030

DOOR CLOSER


SNP PNP



Power size 2-4 adjustable by template. EN1154 performance tested, EN1634 fire tested, CE marked.
Ref: CRU040

EURO PROFILE ESCUTCHEON

SSS PSS SAA




To suit lever furniture. Height: 52mm Width: 8mm
Ref: FST250



OVAL PROFILE ESCUTCHEON

SSS PSS SAA



To suit lever furniture.
Height: 52mm
Width: 8mm
Ref: FST300

FINISH KEYWAY ESCUTCHEON


SSS PSS SAA



To suit lever furniture.
Height: 52mm
Width: 8mm
Ref: FST210

D PULL HANDLE


SSS PSS SAA



Available in three sizes:
225mm x 19mm – GAC121
300mm x 19mm – GAC122
425mm x 19mm – GAC124 (DDA).

GUARDSMAN PULL HANDLE

SSS PSS





Available in three sizes:
225mm x 19mm – GAC130
300mm x 19mm – GAC131
425mm x 19mm – GAC132 (DDA).

TURN AND RELEASE

SSS PSS SAA



5mm spindle.
Ref: FST320



DISABLED TURN & RELEASE


SSS PSS SAA

5mm spindle.
DDA Compliant.
Ref: FST350



EURO DOUBLE CYLINDER


NP SIL



Masterkeying options available. Available in three sizes:
60mm – LES280
70mm – LES281
80mm – LES282

EURO CYLINDER AND TURN

NP




Masterkeying options available. Available in three sizes:
60mm – LES290
70mm – LES291
80mm – LES292



EURO SINGLE CYLINDER


NP



Masterkeying options available. Available in two sizes:
40mm – LES300
45mm – LES301

OVAL SINGLE CYLINDER


NP



Masterkeying options available. Available in two sizes:
40mm – LES330
45mm – LES331

OVAL CYLINDER AND TURN


NP



Masterkeying options available. Available in two sizes:
60mm – LES320
70mm – LES321

OVAL DOUBLE CYLINDER

NP



Masterkeying options available. Available in two sizes:
60mm – LES310
70mm – LES311

Armada BOX!

Save both time and money on site with our unique boxing system...

Simply order 'box-sets' as below and receive all the items required for your door **packaged together**. Each box is complete with fixings and templates/instructions for your complete convenience!



MINIMUM ORDER – 5 BOXES, ANY MIX.
CARRIAGE FREE OF CHARGE

Euro Box

Comprises 3" HD Euro sashlock, 70mm 5 pin Euro cylinder/thumbturn, Safety lever furniture with bolt through fixings and Euro lock escutcheons, Satin Stainless Steel.

WC Box

Comprises 3" HD Bathroom sashlock, Safety lever furniture with bolt through fixings, bathroom turn and emergency release with indicator option, Satin Stainless Steel.

Latch Box

Comprises 3" HD Full case upright latch, Safety lever furniture with bolt through fixings, Satin Stainless Steel.

Pull Box

Comprises 300 x 19mm D-pull handle, 350 x 75mm finger plate (radius corners, drilled and countersunk), 2-4 overhead door closer (60 minute fire rated, CE Marked), Satin Stainless Steel.

Hinges and doorstops can be included in any pack

Hinge Addition

(3 x 4" Ball bearing butt hinge, Grade 13, FD30, Satin Stainless Steel).

Barrel Door Stop Addition

Satin Stainless Steel.



FUNCTION **Plus**





OVERHEAD DOOR CLOSER

SNP PNP

Power size 2-4
adjustable by template.
Adjustable back check.
EN1154 performance
tested, EN1634 fire
tested, CE marked.
40mm – LES300
45mm – LES301



OVERHEAD DOOR CLOSER

SNP PNP

Power size 2-5
adjustable by spring.
Adjustable back
check/delayed action.
EN1154 performance
tested. EN1634 fire
tested CE marked.
DDA compliant on
door width 835mm
and above.
Ref: CRU050



DECO HD LEVER ON ROSE

SSS PSS



Heavy Duty PLUS fixings. Tested to Grade 3
BS EN 1906, Stainless Steel under-rose and
grub screw fixing, DDA compliant.
Ref: FST111

POLARIS HD LEVER ON ROSE

SSS PSS



Heavy Duty PLUS fixings. Tested to Grade 3
BS EN 1906, Stainless Steel under-rose and
grub screw fixing.
Ref: FST121

SSS PSS



Heavy Duty PLUS fixings. Tested to Grade 3
BS EN 1906, Stainless Steel under-rose and
grub screw fixing.
Ref: FST131

VIVANTO HD LEVER ON ROSE

Ask about our Function Black special finish



SONNET HD LEVER ON ROSE

SSS PSS



Heavy Duty PLUS fixings. Tested to Grade 3 BS EN 1906, Stainless Steel under-rose and grub screw fixing.
Ref: FST141

PLUS EURO PROFILE ESCUTCHEON

SSS PSS



Snap on cover with metal under-rose.
Ref: FST255

PLUS BATHROOM TURN & RELEASE

SSS PSS



Red/green indicator. Emergency slot release.
Ref: FST321

CAPPELLA HD LEVER ON ROSE

SSS PSS



Heavy Duty PLUS fixings. Tested to Grade 3 BS EN 1906, Stainless Steel under-rose and grub screw fixing.
Ref: FST151

PLUS DISABLED BATHROOM TURN & RELEASE

NP



Easy access turn suitable for disabled use.
Red/green indicator. Emergency slot release.
Ref: FST351

BS KITEMARKED EURO CYLINDERS

SSS



Anti snap, drill, pick and bump.
Available with thumb turn, key both sides or single sided.
Many sizes including offsets. To BS EN 1303, Kitemarked.
Ref: LES1000



DIN MORTICE LOCKS

SSS



Heavy duty springing suitable for unsprung lever handles. Roller bearing follower. Fire rated up to 60 minutes. CE Marked, to EN 12209.

Mortice latch – LIR600
Euro profile sashlock – LIR601
Euro profile deadlock – LIR602
Bathroom sashlock – LIR603

PLUS PULL HANDLES

SSS

PSS



Available in bolt through and back to back configurations. Longer sizes also available.

600 x 19mm D-pull handle – GAC125
600 x 19mm T-bar pull handle – GAC135

RANGE OF LARGE AND BESPOKE PULL HANDLES AVAILABLE



PUSH PLATE

SSS



700 x 75mm finger plate, radius corners, drilled/countersunk
Ref: GAJ143

FIRE DOOR KEEP SHUT SIGN

BLU



Vertical Traffolite sign
Ref: GPS210TR

FIRE DOOR KEEP LOCKED SIGN

BLU



Vertical Traffolite sign
Ref: GPS200TR

ACCESSORIES





BALL BEARING PROJECTION HINGE

SSS



Available in 102 x 102 x 3mm
BS EN 1935 Performance tested. Fire tested for 30 and 60 minute doors. Certifire/CE Marked.
Ref: HFR015

BALL BEARING BUTT HINGE

SSS



Available in two sizes:
76mm x 51mm x 2mm – HFR013
102mm x 76mm x 3mm – HFR014
Other sizes available to order. BSEN1935 performance tested, BSEN1634 fire tested. CE Marked.

FLOOR SOCKET

SSS SC



To suit flush bolt.
Ref: BFA033

HAT AND COAT HOOK

SSS PSS



Mitred design.
Ref: GFR091

CYLINDER PULL

SSS PSS SAA



Available in three styles:
Euro profile – FST390
Oval profile – FST400
Keyway – FST380

FLUSH BOLT

SSS PSS



Lever action flush bolt and keep. Available in:
150mm x 19mm – BFA030
200mm x 19mm – BFA031
300mm x 19mm – BFA032
450mm x 19mm – BFA040
600mm x 19mm – BFA050

EASY CLEAN FLOOR SOCKET

SSS PSS SAA



To suit BFA flush bolts.
Ref: BFA034

COAT HOOK

SSS PSS



Mitred design.
Ref: GFR081



FIRE DOOR KEEP LOCKED SIGN

SSS PSS SAA



76mm diameter.
Ref: GPS200

FIRE DOOR KEEP SHUT SIGN

SSS PSS SAA



76mm diameter.
Ref: GPS210

DISABLED SIGN

SSS PSS SAA



76mm diameter.
Ref: GPS190

UNISEX SIGN

SSS PSS SAA



76mm diameter.
Ref: GPS180

AUTOMATIC FIRE DOOR SIGN

SSS PSS SAA



76mm diameter.
Ref: GPS205

MALE SIGN

SSS PSS SAA



76mm diameter.
Ref: GPS160

FEMALE SIGN

SSS PSS SAA



76mm diameter.
Ref: GPS170

WC SIGN

SSS PSS



76mm diameter.
Ref: GPS185



FIRE EXIT RUNNING MAN SIGNS

SIL



400 x 150mm. To BS EN ISO 7010
Arrow left – GPS220
Arrow left/down – GPS225
Arrow left/up – GPS226
Arrow right – GPS230
Arrow right/down – GPS235
Arrow right/up – GPS236
Arrow up – GPS240
Arrow down – GPS250

BABY CHANGE SIGN


SIL



76mm diameter.
Ref: GPS196

RUNNING MAN SIGN HANGING KIT

SIL



Ref: GPS290

SHOWER SIGN


SIL



76mm diameter.
Ref: GPS195

PUSH PLATES

SSS PSS SAA



Drilled and counter sunk.
Cut to bespoke sizes.
Plain – GAJ141
Pull – GAJ141PL
Push – GAJ141PS

DIGITAL LOCK

PB SC



Digital lock. Hold back
version also available.
Ref: CFR170

VISIT OUR WEBSITE FOR
FURTHER INFORMATION
AND TO SEE OUR LATEST
PROJECTS

www.armadadh.com



SPUR DOOR STOP

SSS PSS SAA



Wall mounted.
Ref: GOB050

FLOOR DOOR STOP

SSS PSS SAA



Floor mounted.
Ref: GCB020

CYLINDER DOOR STOP

SSS PSS



Floor mounted.
Ref: GAC180

PANIC LATCH

SIL

Size: 730mm.
Larger size available.
Ref: PES010



PANIC BOLT

SIL

Size: 730mm.
Larger size available.
Ref: PES020



REBATED PANIC SET

SIL

Rebated double
door panic set.
Ref: PES030



PANIC LATCH

SIL

Panic latch with push pad.
Ref: PES040



ACCESS DEVICE

SIL

Outside access device.
Uses standard euro
cylinder.
Ref: PES050





ACOUSTIC DROP DOWN SEAL



Automatic action. To BS 476 Part 20/22 and 31 Compliant.

335 – 435mm – INO435
635 – 735mm – INO735
735 – 835mm – INO835
835 – 935mm – INO935
935 – 1035mm – INO1035
1010 – 1135mm – INO1135

Other sizes available.

ACOUSTIC BATWING PERIMETER SEAL

BLK WHT



2100mm long x 12mm x 12mm.

BS EN 1634 Smoke tested. BS EN ISO 10140-2.2010 Acoustic performance.

Ref: IAF100

INTUMESCENT FIRE SEAL

BLK WHT BRN



Self-adhesive. 2100mm long x 4mm deep. To BS476 Part 22 and 31.1. 30 and 60 minute rated options.

10mm wide FD30 rated – IAF040

15mm wide FD30 rated – IAF041

20mm wide FD60 rated – IAF042

INTUMESCENT FIRE & SMOKE SEAL WITH 4MM BRUSH

BLK WHT BRN



Self-adhesive. 2100mm long x 4mm deep. To BS476 Part 22 and 31.1. Smoke tested to EN1634-3. 30 and 60 minute rated options.

10mm wide FD30 rated – IAF050

15mm wide FD30 rated – IAF051

20mm wide FD60 rated – IAF052


INTUMESCENT HINGE PAD



To BS 476 part 22 and BS EN 1634-1:2008. 30 and 60 minute rating.

Ref: HAF014

INTUMESCENT LOCK WRAP FOR LES LOCK RANGE




FD30 and FD60

Sashlock wrap – LAF050

Deadlock wrap – LAF060

INTUMESCENT LOCK WRAP



For LZH DIN lock range.


Ref: LAF070

FLUSH BOLT INTUMESCENT WRAP



For 150mm and 200mm Lever action flush bolts. Self-adhesive.

Ref: BAF200



FUNCTION

IRONMONGERY MADE SIMPLE

Armada
Door Hardware

68 Church End | Cherry Hinton | Cambridge | CB1 3LB
T: 01223 363060 F: 01223 462448 W: www.armadadh.com